

(1) County Putnam




(2) DEC Well Number

P1501

WELL COMPLETION REPORT

(3) OWNER Custom Designs, Attn: Ralph Adorno	
(4) ADDRESS 248 Old Church Road, Putnam Valley, NY 10579	
(5) LOCATION OF WELL Troy & Jenny Adorno, Stebbins Road, Mahopac, NY	
(6) DEPTH OF WELL BELOW SURFACE 225'	(7) DEPTH TO GROUNDWATER 22'
CASINGS	
(8) DIAMETER 6" in.	(9) LENGTH 32 ft.
(10) SEALING bentonite clay	(11) CASINGS REMOVED 0'
SCREENS	
(12) MAKE & MATERIAL	(13) OPENINGS
(14) DIAMETER in. in. in. in.	(15) LENGTH ft. ft. ft. in.
(16) DEPTH TO TOP FROM TOP OF CASING	
PUMPING TEST	
(17) DATE 6-28-00	(18) TEST OR PERMANENT PUMP? permanent
(19) DURATION OF TEST 6 hours minutes	(20) MAXIMUM DISCHARGE 15.7 gallons per min.
(21) STATIC LEVEL PRIOR TO TEST 30' ft. in. below top of casing	(22) LEVEL DURING MAXIMUM PUMPING 160' in. below top of casing
(23) MAXIMUM DRAWDOWN 160' ft.	(23) Approximate time of return to normal level after cessation of pumping hours 40 min.
PUMP INSTALLED	
(24) TYPE submersible	(25) MAKE Goulds
(26) MODEL NUMBER 10GS15412	(27) MOTIVE POWER 230V
(28) MAKE Franklin Electric	(29) H.P. 1½
(30) CAPACITY 15 g.p.m. against 200' ft. of discharge head	
(31) NUMBER OF BOWLS OR STAGES 17 ft. of total head	
DROP LINE	
(32) DIAMETER & (33) LENGTH 1" 180' PVC	(34) DIAMETER & (35) LENGTH
(36) METHOD OF DRILLING <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable tool <input type="checkbox"/> Other _____	(37) USE OF WATER Residential
(38) WORK STARTED 5/12/00	(39) WORK COMPLETED
(40) DATE 7/25/00	(41) DRILLER, COMPANY P. F. Beal & Sons, Inc.
(42) REGISTRATION NO. NYRD10105	



Original - DEC Copy

*See additional instructions on back. Show log of geologic materials encountered, with depth below ground surface, water bearing beds and water levels in each, casings, screens, pump, additional pumping tests and other matters of interest, e.g. water quality (sulphur, salt, methane). Describe repair work. See instructions as to Well Driller's Registration and Reports.

Location of well (use one or more of the following methods)

Method 1: Enter coordinates of latitude and longitude in the area provided below. If driller has on-line capability, use DEC's on-line map coordinate assistant found on DEC's web site (www.dec.state.ny.us). This feature gives coordinates of latitude and longitude that can be entered in the area indicated. NOTE: The method of determining coordinates MUST be shown.

The use of global positioning system (GPS) equipment is highly recommended to determine the latitude and longitude of the well. If a GPS is used, include information on the manufacturer and model of the unit.

Method 2: If method 1 is not used, photocopy a section of a 1:24,000 scale United States Geologic Survey (USGS) map or a 1:24,000 New York State Department of Transportation (NYSDOT) map and locate the well on the map.

Write the map name on the photocopy and attach to log completion.

Method 3: If USGS or NYSDOT maps are not available, photocopy a pertinent section of a detailed county road map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 4: Sketch location of well in the area provided at bottom of page. Locate the well with respect to at least two roads. Indicate north direction.


Latitude (degrees minutes seconds)

Longitude (degrees minutes seconds)

Example: 42 36 01.7 N 73 24 51.1 W

How were coordinates determined?

- DEC on-line map coordinate assistant
 GPS, Manufacturer _____ Model _____
 Map interpolation

Location Sketch (indicate north direction)



Yahoo! - Yellow Pages - Help

Powered by Mapquest.com (tm)

Y! Domains:
Just 35 bucks!

LOSE 20 LBS. BY AUG. 27th! [Click here](#)
DIETSMART.COM

Lose 20 lbs by August 20th!



Welcome, Guest User

Create My Locations - Sign In

Yahoo! Maps

★ Stebbins Road, Mahopac, NY 10541

Save This Address



- Zoom In
- [1]
- 2
- [3]
- [4]
- [5]
- [6]
- [7]
- [8]
- [9]
- [10]
- Zoom Out
- Email Map
- Interactive Ma

© 2000 MapQuest.com, Inc.; © 2000 Navigation Technologies

Powered by Mapquest.com (tm) Terms of Use Copyright © 2001 NavTech.
Copyright © 2001 Yahoo! Inc. All rights reserved.
[Privacy Policy](#) - [Terms of Service](#) - [Help](#)

P1501

Target is 41° 22' 17"N, 73° 41' 43"W - **CROTON FALLS** quad [\[Quad Info\]](#)

1:25,000 1:50,000 1:100,000 1:200,000

Small Medium Large

topozone.com

Copyright © 2000 Maps a la carte, Inc.

