

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

(1) County Putnam

(2) DEC Well Number

P1511

WELL COMPLETION REPORT

(3) OWNER Ginsburg Development, LLC		Ground Surface * LOG	
(4) ADDRESS 50 North Street, Danbury, CT 06810		El. _____ ft. above sea	
(5) LOCATION OF WELL Bullet Hole Rd & Field Lane, Well #1, Carmel, NY		TOC Δ +1 _____ ft.	
(6) DEPTH OF WELL BELOW SURFACE 365'	(7) DEPTH TO GROUNDWATER 30'	<p style="text-align: center;">TOP OF WELL</p> <p>0' _____</p> <p>Clay and boulders</p> <p>18' _____</p> <p>Drilling in rock for casing</p> <p>32' _____</p> <p>32' _____</p> <p>32' _____</p> <p>granite & quartzite</p> <p>set 32' of 6" casing</p> <p>365' _____</p> <p style="text-align: right;">Bottom of Hole</p>	
CASINGS			
(8) DIAMETER 6" in.			
(9) LENGTH 32' ft.			
(10) SEALING Bentonite clay	(11) CASINGS REMOVED 0		
SCREENS			
(12) MAKE & MATERIAL	(13) OPENINGS		
(14) DIAMETER in. in. in. in.			
(15) LENGTH ft. ft. ft. in.			
(16) DEPTH TO TOP FROM TOP OF CASING			
PUMPING TEST			
(17) DATE 8/22/00	(18) TEST OR PERMANENT PUMP? test		
(19) DURATION OF TEST 6 hours minutes	(20) MAXIMUM DISCHARGE 7 gallons per min.		
(21) STATIC LEVEL PRIOR TO TEST 30 ft. in. below top of casing	(22) LEVEL DURING MAXIMUM PUMPING 325' in. below top of casing		
(23) MAXIMUM DRAWDOWN 325' ft.	(23) Approximate time of return to normal level after cessation of pumping 1 hours 10 min.		
PUMP INSTALLED			
(24) TYPE	(25) MAKE	(26) MODEL NUMBER	
(27) MOTIVE POWER	(28) MAKE	(29) H.P.	
(30) CAPACITY g.p.m. against ft. of discharge head			
(31) NUMBER OF BOWLS OR STAGES ft. of total head			
DROP LINE		SUCTION LINE	
(32) DIAMETER & (33) LENGTH		(34) DIAMETER & (35) LENGTH	
(36) METHOD OF DRILLING <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable tool <input type="checkbox"/> Other _____		(37) USE OF WATER Residential	
(38) WORK STARTED 6/30/00		(39) WORK COMPLETED 8/22/00	
(40) DATE 9/5/00	(41) DRILLER, COMPANY P. F. Beal & Sons, Inc.	(42) REGISTRATION NO. NYRD10105	
*See additional instructions on back. Show log of geologic materials encountered, with depth below ground surface, water bearing beds and water levels in each, casings, screens, pump, additional pumping tests and other matters of interest, e.g. water quality (sulphur, salt, methane). Describe repair work. See instructions as to Well Driller's Registration and Reports.			

Original - DEC Copy

Location of well (use one or more of the following methods)

P1511

Method 1: Enter coordinates of latitude and longitude in the area provided below. If driller has on-line capability, use DEC's on-line map coordinate assistant found on DEC's web site (www.dec.state.ny.us). This feature gives coordinates of latitude and longitude that can be entered in the area indicated. NOTE: The method of determining coordinates MUST be shown.

The use of global positioning system (GPS) equipment is highly recommended to determine the latitude and longitude of the well. If a GPS is used, include information on the manufacturer and model of the unit.

Method 2: If method 1 is not used, photocopy a section of a 1:24,000 scale United States Geologic Survey (USGS) map or a 1:24,000 New York State Department of Transportation (NYSDOT) map and locate the well on the map. Write the map name on the photocopy and attach to log completion.

Method 3: If USGS or NYSDOT maps are not available, photocopy a pertinent section of a detailed county road map and locate the well on the map. Write the map name on the photocopy and attach to log completion.

Method 4: Sketch location of well in the area provided at bottom of page. Locate the well with respect to at least two roads. Indicate north direction.

Latitude (degrees minutes seconds)

Longitude (degrees minutes seconds)


[Empty rectangular box for coordinate entry]

Example: 42 36 01.7 N 73 24 51.1 W

How were coordinates determined?

- DEC on-line map coordinate assistant
- GPS, Manufacturer _____ Model _____
- Map interpolation

Location Sketch (indicate north direction)





Yahoo! - Yellow Pages - Help

Powered by Mapquest.com (tm)

Y! DOMAINS:
Go global





Welcome, Guest User

Create My Locations - Sign In

Yahoo! Maps

★ Fair Street, Carmel, NY 10512

Save This Address



Zoom In

[1]

2

[3]

[4]

[5]

[6]

[7]

[8]

[9]

[10]

Zoom Out

Email Map

Interactive Ma


©2000 MapQuest.com, Inc.; ©2000 Navigation Technologies

Powered by Mapquest.com (tm) Terms of Use Copyright © 2001 NavTech.
Copyright © 2001 Yahoo! Inc. All rights reserved.
Privacy Policy - Terms of Service - Help

P1511

has them for you!

Target is $41^{\circ} 26' 55''\text{N}$, $73^{\circ} 38' 35''\text{W}$ - LAKE CARMEL quad [\[Quad Info\]](#)



Coordinates (NAD27): UTM DD.DDDD D/M/S Show target