

Rutnam

(2) DEC Well Number

P1533

WELL COMPLETION REPORT

OWNER <u>Thomas C Insinger</u>		* LOG			
ADDRESS <u>928 White Pond Colony West Camel NY 10512</u>		Ground Surface EL. _____ ft. above sea level			
(5) LOCATION OF WELL (Also see reverse) <u>Lot 51 White Pond Colony, Kent NY 10512</u>		TOC above (+) or below (-) ground surface <u>1</u> ft.			
(6) DEPTH OF WELL BELOW SURFACE <u>205'</u>	(7) DEPTH TO GROUNDWATER	TOP OF WELL			
CASINGS		<p style="writing-mode: vertical-rl; transform: rotate(180deg);">F R A C T U R E S</p> <p style="text-align: center;">Brown Till</p> <p style="text-align: center;">Gneiss, Quartz, Biotite</p>			
(8) DIAMETER <u>6 in.</u>					
(9) LENGTH <u>21 ft.</u>					
(10) SEALING <u>Cement grout</u>	(11) CASINGS REMOVED				
SCREENS					
(12) MAKE & MATERIAL	(13) OPENINGS				
(14) DIAMETER					
(15) LENGTH					
(16) DEPTH TO TOP, FROM TOP OF CASING					
PUMPING TEST				13'	
(17) DATE <u>6/21/00</u>	(18) TEST OR PERMANENT PUMP? <u>Air test</u>	65'			
(19) DURATION OF TEST <u>120</u> minutes	(20) MAXIMUM DISCHARGE <u>25</u> gallons per min.	130'			
(21) STATIC LEVEL PRIOR TO TEST ft. in. below top of casing	(22) LEVEL DURING MAXIMUM PUMPING ft. in. below top of casing	140'			
(23) MAXIMUM DRAWDOWN <u>20.5</u> ft.	(24) Approximate time of return to normal water level after cessation of pumping minutes	190'			
PUMP INSTALLED		<p style="text-align: center;">Bottom of Hole</p>			
(25) TYPE	(26) MAKE			(27) MODEL NUMBER	
(28) MOTIVE POWER	(29) MAKE			(30) H.P.	
(31) CAPACITY g.p.m. against ft. of discharge head					
(32) NUMBER OF BOWLS OR STAGES ft. of total head					
DROP LINE				SUCTION LINE	
(33) DIAMETER & (34) LENGTH				(35) DIAMETER & (36) LENGTH	
(37) METHOD OF DRILLING <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable tool <input type="checkbox"/> Other _____				(38) USE OF WATER <u>Domestic</u>	
(39) WORK STARTED <u>6/20/00</u>	(40) WORK COMPLETED <u>6/21/00</u>				
(41) DATE	(42) DRILLER, COMPANY <u>Henry Boyd Boyd Artesian Well Co., Inc.</u>			(43) REGISTRATION NO. <u>NYRDO1695</u>	

* Show log of geologic materials encountered, with depth below ground surface, water bearing beds and water levels in each, casings, screens, pump, additional pumping tests and other matters of interest, e.g. water quality (sulphur, salt, methane). Describe repair work. See further instructions titled "Instructions For New York State Well Completion Report".

Original - DEC Copy


(1) County LUTNAM

(2) DEC Well Number

P 1533

WELL COMPLETION REPORT

(3) OWNER <u>Thomas Tinsinger</u>	
(4) ADDRESS <u>928 White Pond Colony W. Carmel, NY 10512</u>	
(5) LOCATION OF WELL (Also see reverse) <u>1 White Pond Colony, Kent</u>	
(6) DEPTH OF WELL BELOW SURFACE <u>205'</u>	(7) DEPTH TO GROUNDWATER <u>22'</u>
CASINGS	
(8) DIAMETER in. <u>6 in.</u> in.	
(9) LENGTH ft. <u>13 ft.</u> ft.	
(10) SEALING	(11) CASINGS REMOVED
SCREENS	
(12) MAKE & MATERIAL	(13) OPENINGS
(14) DIAMETER in. in. in.	
(15) LENGTH ft. ft. ft.	
(16) DEPTH TO TOP, FROM TOP OF CASING	
PUMPING TEST	
(17) DATE	(18) TEST OR PERMANENT PUMP?
(19) DURATION OF TEST <u>8 hours</u> minutes	(20) MAXIMUM DISCHARGE <u>25</u> gallons per min.
(21) STATIC LEVEL PRIOR TO TEST <u>22 ft.</u> in. below top of casing	(22) LEVEL DURING MAXIMUM PUMPING ft. in. below top of casing
(23) MAXIMUM DRAWDOWN <u>205 ft.</u>	(24) Approximate time of return to normal water level after cessation of pumping minutes
PUMPS INSTALLED	
(25) TYPE	(26) MAKE
	(27) MODEL NUMBER
(28) MOTIVE POWER	(29) MAKE
	(30) H.P.
(31) CAPACITY g.p.m. against ft. of discharge head	
(32) NUMBER OF BOWLS OR STAGES ft. of total head	
DROP LINE	
(33) DIAMETER & (34) LENGTH	(35) DIAMETER & (36) LENGTH
SUCKER LINE	
(37) METHOD OF DRILLING <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable tool <input type="checkbox"/> Other	(38) USE OF WATER <u>DOMESTIC</u>
(39) WORK STARTED <u>06-21-00</u>	(40) WORK COMPLETED <u>06-21-00</u>
(41) DATE <u>06-26-00</u>	(42) DRILLER, COMPANY <u>Boyd ARTESIAN Well Co. Inc.</u> <u>1054 RT 52</u> <u>CARHEL, NY 10512 (845) 225-3196</u>
	(43) REGISTRATION NO. <u>NYRD-06195</u>



* Show log of geologic materials encountered, with depth below ground surface, water bearing beds and water levels in each, casings, screens, pump, additional pumping tests and other matters of interest, e.g. water quality (sulphur, salt, methane). Describe repair work. See further instructions titled "Instructions For New York State Well Completion Report".

Retain - Driller Copy



Yahoo! - Yellow Pages - Help

Powered by Mapquest.com (tm)

Y! Domains:
Get your URL
Now

0%

0% APR and POINTS FOR FREE STUFF


Welcome, Guest User

Create My Locations - Sign In

Yahoo! Maps

★ 1 White Pound Colony, Carmel, NY 10512-3130

Save This Address



Zoom In

[1]

2

[3]

[4]

[5]

[6]

[7]

[8]

[9]

[10]

Zoom Out

Printable
Map

Email Map

Driving Directions

- To this location
- From this location

Map New Location

Sign In

Address, Intersection or Airport
Code

City, State or Zip

Add Maps to My Yahoo!

Find Nearby Services

Nearby Businesses

- Car Rentals
- Gas Stations
- Hotels and Motels
- Restaurants

City Guide

Yahoo! Traffic

Yahoo! Travel

Yahoo! Weather

Inside Yahoo!

- Yahoo! Classifieds
- Yahoo! Shopping
- Yahoo! Small Business

©2000 MapQuest.com, Inc.; ©2000 Navigation Technologies

Business Locator - Click on business name to view the locations on map

Hilton

HYATT

State Farm Insurance®

#1533

Target is 41° 29' 51"N, 73° 43' 57"W - LAKE CARMEL quad [\[Quad Info\]](#)

1:25,000 1:50,000 1:100,000 1:200,000

Small Medium Large

