

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

(1) County Putnam

(3) DEC Well Number

P1540

(2) Township Putnam Valley

WELL COMPLETION REPORT

(4) OWNER VS Construction Corp.		LOG *		
(5) ADDRESS 37 Croton Dam Rd, Ossining, NY 10562				Ground Surface EL. _____ ft. above sea level
(6) LOCATION OF WELL (Also see reverse) Kramers Pond Rd, Put-Chase Subd., Lot 13, Put. Valle				Top Of Casing is located <u>+1</u> ft. above (+) or below (-) ground surface
(7) DEPTH OF WELL BELOW LAND SURFACE (Feet) 205'	(8) DEPTH TO GROUNDWATER BELOW LAND SURFACE (Feet) 75gpm	TOP OF WELL		
CASINGS		0'		
(9) DIAMETER 6" in.	(10) LENGTH 32' ft.	Drilling in overburden clay and boulders		
(11) GROUT TYPE portland cement	(12) GROUT INTERVAL (Feet) FROM 8' TO 32'	8'		
SCREENS		Drilling in rock for casing		
(13) MAKE & MATERIAL	(14) OPENINGS	32'		
(15) DIAMETER in.	(16) LENGTH ft.	Set 32' of 6" casing		
(17) DEPTH TO TOP OF SCREEN, FROM TOP OF CASING (Feet)		Drilling in rock granite		
WELLS TEST				
(18) DATE 3/9/01	(19) DURATION OF TEST 6 hours			
(20) LIFT METHOD <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Air Lift <input type="checkbox"/> Bail	(21) STABILIZED DISCHARGE (GPM) 10 gpm			
(22) STATIC LEVEL PRIOR TO TEST (feet/inches below top of casing) 30'	(23) MAXIMUM DRAWDOWN (Stabilized) (feet/inches below top of casing) 140'			
(24) RECOVERY (Time in hours/minutes) 20 minutes	(25) Was the water produced during test discharged away from immediate area? Yes <input checked="" type="checkbox"/> No _____			
PUMP INSTALLATION				
(26) DATE 3/9/01	(27) PUMP INSTALLED? YES <input checked="" type="checkbox"/> NO _____	(28) PUMP INSTALLER P. F. Beal & Sons, Inc.		
(29) TYPE submersible	(30) MAKE Goulds	(31) MODEL 10GS07412		
(32) MAXIMUM CAPACITY (GPM) 10 gpm	(33) PUMP INSTALLATION LEVEL FROM TOP OF CASING (Feet) 160'			
(34) METHOD OF DRILLING <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____	(35) USE OF WATER (see instructions for choices) residential			
(36) DATE DRILLING WORK STARTED 8/29/00	(37) DATE DRILLING WORK COMPLETED 8/29/00			
(38) DATE 3/27/01	(39) DRILLER & COMPANY Perry L. Beal P. F. Beal & Sons, Inc.	(40) DEC REGISTRATION NO. NYRD10105		
* Show log of geologic materials encountered with depth below ground surface, water bearing beds and water levels in each; casings; screens; pump; additional pumping tests and other matters of interest, e.g., water quality (sulphur, salt, methane). Describe repair work.		205'		
See further instructions titled "Instructions for New York State Well Completion Report".		BOTTOM OF HOLE		
ORIGINAL - DEC COPY				

LOCATION OF WELL

(USE ONE OR MORE OF THE FOLLOWING METHODS)

DEC WELL #: P1540

Method 1: Enter coordinates of latitude and longitude in the area provided below. If driller has on-line capability, use DEC's online map coordinate assistant found on DEC's web site (www.dec.state.ny.us). This feature gives coordinates of latitude and longitude that can be entered in the area indicated. NOTE: The method of determining coordinates MUST be shown. The use of global positioning system (GPS) equipment is highly recommended to determine the latitude and longitude of the well. If a GPS is used, include information on the manufacturer and model of the unit.

Method 2: If method 1 is not used, photocopy a section of a 1:24,000 scale United States Geologic Survey (USGS) map or a 1:24,000 New York State Department of Transportation (NYSDOT) map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 3: If USGS or NYSDOT maps are not available, photocopy a pertinent section of a detailed county road map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 4: Sketch location of well in the area provided at bottom of page. Locate the well with respect to at least two roads. Indicate north direction.

Latitude (degrees minutes seconds)


Longitude (degrees minutes seconds)

Example: 42 36 01.7 N 73 24 51.1 W

How were coordinates determined?

- DEC on-line map coordinate assistant
- GPS Manufacturer _____ Model _____
- Map interpolation

LOCATION SKETCH (indicate north direction and road intersections)





Yahoo! - Yellow Pages - Help

Powered by Mapquest.com (tm)

Y! Domains:
Get your URL
Now



Click Here to contact your old ClassMates




Welcome, Guest User

Create My Locations - Sign In

Yahoo! Maps

★ peekskill hollow road, Putnam

Save This Address



Zoom In

[1]

2

[3]

[4]

[5]

[6]

[7]

[8]

[9]

[10]

Zoom Out

Email Map

Interactive Ma

Powered by Mapquest.com (tm) Terms of Use Copyright © 2001 NavTech.
Copyright © 2001 Yahoo! Inc. All rights reserved.
Privacy Policy - Terms of Service - Help

1540

