

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

(1) County Putnam

(2) Township Putnam Valley

(3) DEC Well Number

P1542

WELL COMPLETION REPORT

LOG *

(4) OWNER
VS Construction Corp.

(5) ADDRESS
37 Croton Dam Road, Ossining, NY 10562

(6) LOCATION OF WELL
(Also see reverse) Kramers Pond Rd, Putnam Chase Subd., Lot 11, P.Valley

Ground Surface EL. _____ ft. above sea level

Top Of Casing is located +1 ft. above (+) or below (-) ground surface

(7) DEPTH OF WELL BELOW LAND SURFACE (Feet) 245' (8) DEPTH TO GROUNDWATER BELOW LAND SURFACE (Feet) 30'

(9) DIAMETER 6" in. | | | | in.

(10) LENGTH 32' ft. | | | | ft. | | | | in.

(11) GROUT TYPE portland cement (12) GROUT INTERVAL (Feet) FROM 10' TO 32'

TOP OF WELL

0' Drilling in overburden clay and boulders

(13) MAKE & MATERIAL (14) OPENINGS

(15) DIAMETER in. | | | | in.

(16) LENGTH ft. | | | | ft. | | | | in.

(17) DEPTH TO TOP OF SCREEN, FROM TOP OF CASING (Feet)

10' Drilling in rock for casing

(18) DATE 10/31/00 (19) DURATION OF TEST 6 hours

(20) LIFT METHOD Pump Air Lift Ball (21) STABILIZED DISCHARGE (GPM) 7gpm

(22) STATIC LEVEL PRIOR TO TEST (feet/inches below top of casing) 30' (23) MAXIMUM DRAWDOWN (Stabilized) (feet/inches below top of casing) 180'

(24) RECOVERY (Time in hours/minutes) 45 minutes (25) Was the water produced during test discharged away from immediate area? Yes No

32' Set 32' of 6" casing

(26) DATE 10/31/00 (27) PUMP INSTALLED? YES NO (28) PUMP INSTALLER Kevin Bentson

(29) TYPE submersible (30) MAKE Goulds (31) MODEL 7GS05412

(32) MAXIMUM CAPACITY (GPM) 7 gpm (33) PUMP INSTALLATION LEVEL FROM TOP OF CASING (Feet) 200'

Drilling in rock granite

(34) METHOD OF DRILLING Rotary Cable Tool Other _____ (35) USE OF WATER (see instructions for choices) residential

(36) DATE DRILLING WORK STARTED 8/25/00 (37) DATE DRILLING WORK COMPLETED 8/25/00

(38) DATE 11/10/00 (39) DRILLER & COMPANY Perry L. Beal P. F. Beal & Sons, Inc. (40) DEC REGISTRATION NO. NYRD10105

* Show log of geologic materials encountered with depth below ground surface, water bearing beds and water levels in each; casings; screens; pump; additional pumping tests and other matters of interest, e.g., water quality (sulphur, salt, methane). Describe repair work.

245' BOTTOM OF HOLE

See further instructions titled "Instructions for New York State Well Completion Report".

ORIGINAL - DEC COPY

LOCATION OF WELL

DEC WELL #: P1542

(USE ONE OR MORE OF THE FOLLOWING METHODS)

Method 1: Enter coordinates of latitude and longitude in the area provided below. If driller has on-line capability, use DEC's on-line map coordinate assistant found on DEC's web site (www.dec.state.ny.us). This feature gives coordinates of latitude and longitude that can be entered in the area indicated. NOTE: The method of determining coordinates MUST be shown. The use of global positioning system (GPS) equipment is highly recommended to determine the latitude and longitude of the well. If a GPS is used, include information on the manufacturer and model of the unit.

Method 2: If method 1 is not used, photocopy a section of a 1:24,000 scale United States Geologic Survey (USGS) map or 1:24,000 New York State Department of Transportation (NYSDOT) map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 3: If USGS or NYSDOT maps are not available, photocopy a pertinent section of a detailed county road map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 4: Sketch location of well in the area provided at bottom of page. Locate the well with respect to at least two roads. Indicate north direction.

Latitude (degrees minutes seconds)


Longitude (degrees minutes seconds)

Example: 42 36 01.7 N 73 24 51.1 W

How were coordinates determined?

- DEC on-line map coordinate assistant
- GPS Manufacturer _____ Model _____
- Map interpolation

LOCATION SKETCH (indicate north direction and road intersections)






Yahoo! - Yellow Pages - Help

Powered by Mapquest.com (tm)

Y! Domains:
Get your URL
Now



Click Here to contact your old ClassMates

Find Your Old classmates




Welcome, Guest User

Create My Locations - Sign In

Yahoo! Maps

★ peekskill hollow road, Putnam

Save This Address



©2000 MapQuest.com, Inc.; ©2000 Navigation Technologies

- Zoom In
- [1]
 - 2
 - [3]
 - [4]
 - [5]
 - [6]
 - [7]
 - [8]
 - [9]
 - [10]

Zoom Out

Email Map

Interactive Ma

Powered by Mapquest.com (tm) Terms of Use Copyright © 2001 NavTech.
Copyright © 2001 Yahoo! Inc. All rights reserved.
Privacy Policy - Terms of Service - Help

#1542

Target is 41° 21' 35"N, 73° 51' 22"W - **MOHEGAN LAKE** quad [\[Quad Info\]](#)

1:25,000 1:50,000 1:100,000 1:200,000


Small

Medium

Large

topozone.com

Copyright © 2000 Maps a la carte, Inc.



0 1000 2000 3000 4000
meters

0 1.0 2.0
miles

Coordinates (NAD27): UTM DD.DDDD D/M/S Show target symbol

Email this map

Bookmark this map

Print this map