

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

(1) County Putnam
 (2) Township Brewster



(3) DEC Well Number P1554

WELL COMPLETION REPORT

(4) OWNER Paul DiDio		LOG *
(5) ADDRESS 2006 Dunhill Drive, Brewster, NY 10509		
(6) LOCATION OF WELL (Also see reverse) 22 Sherwood Hill Road, Brewster, NY		Ground Surface EL. _____ ft. above sea level
(7) DEPTH OF WELL BELOW LAND SURFACE (Feet) 225'		Top Of Casing is located <u>+1</u> ft. above (+) or below (-) ground surface
(8) DEPTH TO GROUNDWATER BELOW LAND SURFACE (Feet) 50gpm	(9) DEPTH TO GROUNDWATER BELOW LAND SURFACE (Feet) overflowing	TOP OF WELL
CASINGS		<div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 5px;"> 0' Drilling in overburden clay and boulders </div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 5px; margin-top: 10px;"> 45' Drilling in rock for casing </div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 5px; margin-top: 10px;"> 62' Set 62' of 6" casing </div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; padding: 5px; margin-top: 10px;"> Drilling in rock granite </div>
(6) DIAMETER 6" in. in. in. in.		
(10) LENGTH 62' ft. ft. ft. in.		
(11) GROUT TYPE portland cement		
(12) GROUT INTERVAL (Feet) FROM 45' TO 62'		
SCREENS		
(13) MAKE & MATERIAL		
(14) OPENINGS		
(15) DIAMETER in. in. in. in.		
(16) LENGTH ft. ft. ft. in.		
(17) DEPTH TO TOP OF SCREEN, FROM TOP OF CASING (Feet)		
YIELD TEST		
(18) DATE 10/8/00		
(19) DURATION OF TEST 6 hours		
(20) LIFT METHOD <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Air Lift <input type="checkbox"/> Bail		
(21) STABILIZED DISCHARGE (GPM) 13 gpm		
(22) STATIC LEVEL PRIOR TO TEST (feet/inches below top of casing) overflowing		
(23) MAXIMUM DRAWDOWN (Stabilized) (feet/inches below top of casing) 160'		
(24) RECOVERY (Time in hours/minutes) 20 minutes		
(25) Was the water produced during test discharged away from immediate area? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
PUMP INSTALLATION		
(26) DATE 10/8/00		
(27) PUMP INSTALLED? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
(28) PUMP INSTALLER Wayne Mayes		
(29) TYPE submersible		
(30) MAKE Goulds		
(31) MODEL 13ES15412		
(32) MAXIMUM CAPACITY (GPM) 13 gpm		
(33) PUMP INSTALLATION LEVEL FROM TOP OF CASING (Feet) 180'		
(34) METHOD OF DRILLING <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____		
(35) USE OF WATER (see instructions for choices) residential		
(36) DATE DRILLING WORK STARTED 9/22/00		
(37) DATE DRILLING WORK COMPLETED 9/22/00		
(38) DATE 11/9/00		
(39) DRILLER & COMPANY Perry L. Beal P. F. Beal & Sons, Inc.		
(40) DEC REGISTRATION NO. NYRD10105		
* Show log of geologic materials encountered with depth below ground surface, water bearing beds and water levels in each; casings; screens; pump; additional pumping tests and other matters of interest, e.g., water quality (sulphur, salt, methane). Describe repair work.		225'
See further instructions titled "Instructions for New York State Well Completion Report".		BOTTOM OF HOLE
ORIGINAL - DEC COPY		

LOCATION OF WELL

DEC WELL #: P1554

(USE ONE OR MORE OF THE FOLLOWING METHODS)

Method 1: Enter coordinates of latitude and longitude in the area provided below. If driller has on-line capability, use DEC's on-line map coordinate assistant found on DEC's web site (www.dec.state.ny.us). This feature gives coordinates of latitude and longitude that can be entered in the area indicated. NOTE: The method of determining coordinates MUST be shown. The use of global positioning system (GPS) equipment is highly recommended to determine the latitude and longitude of the well. If a GPS is used, include information on the manufacturer and model of the unit.

Method 2: If method 1 is not used, photocopy a section of a 1:24,000 scale United States Geologic Survey (USGS) map or a 1:24,000 New York State Department of Transportation (NYSDOT) map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 3: If USGS or NYSDOT maps are not available, photocopy a pertinent section of a detailed county road map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 4: Sketch location of well in the area provided at bottom of page. Locate the well with respect to at least two roads. Indicate north direction.

Latitude (degrees minutes seconds)


Longitude (degrees minutes seconds)

Example: 42 36 01.7 N 73 24 51.1 W

How were coordinates determined?

- DEC on-line map coordinate assistant
- GPS Manufacturer _____ Model _____
- Map interpolation

LOCATION SKETCH (indicate north direction and road intersections)





[Yahoo!](#) - [Yellow Pages](#) - [Help](#)

Powered by Mapquest.com (tm)

Y! Domains:
Just 35 bucks!





Welcome, Guest User

[Create My Locations](#) - [Sign In](#)

Yahoo! Maps

★ 22 sherwood hill road, Brewster, NY 10509-

[Save This Address](#)



Zoom In

- [1]
- 2
- [3]
- [4]
- [5]
- [6]
- [7]
- [8]
- [9]
- [10]


Zoom Out

[Printable Map](#)

[Email Map](#)

©2000 MapQuest.com, Inc.; ©2000 Navigation Technologies

Business Locator - Click on business name to view the locations on map



1554

Driving Directions

- [To this location](#)
- [From this location](#)

Map New Location

[Sign In](#)

Address, Intersection or Airport Code

City, State or Zip

[▼](#)

[Add Maps to My Yahoo!](#)

Find Nearby Services

Nearby Businesses

- [Car Rentals](#)
- [Gas Stations](#)
- [Hotels and Motels](#)
- [Restaurants](#)

City Guide

- [Yahoo! Traffic](#)
- [Yahoo! Travel](#)
- [Yahoo! Weather](#)

Inside Yahoo!

- [Yahoo! Classifieds](#)
- [Yahoo! Shopping](#)
- [Yahoo! Small Business](#)



Target is 41° 26' 45"N, 73° 33' 11"W - BREWSTER quad [\[Quad Info\]](#)
[Click here to download a custom topographic map with](#)

1:25,000 1:50,000 1:100,000 1:200,000

Small

Medium

Large



Coordinates (NAD27): UTM DD.DDDD D/M/S Show target symbol

[Email this map](#)

[Bookmark this map](#)

[Print this map](#)