

(1) County Putnam

(2) Township Brewster

(3) DEC Well Number

P1556

WELL COMPLETION REPORT

LOG *

(4) OWNER Gideon Noach		Ground Surface EL. _____ ft. above sea level
(5) ADDRESS 345 Farm To Market Road, Brewster, NY 10509		
(8) LOCATION OF WELL (Also see reverse) Same		Top Of Casing is located <u>+1</u> ft. above (+) or below (-) ground surface
(7) DEPTH OF WELL BELOW LAND SURFACE (Feet) 625'	5gpm	(8) DEPTH TO GROUNDWATER BELOW LAND SURFACE (Feet) N/A
CASINGS		
(9) DIAMETER	in.	TOP OF WELL Drilled existing well deeper to a depth of 625' Drilling in rock granite
(10) LENGTH	ft.	
(11) GROUT TYPE	(12) GROUT INTERVAL (Feet) FROM _____ TO _____	
SCREENS		
(13) MAKE & MATERIAL	(14) OPENINGS	BOTTOM OF HOLE 625'
(15) DIAMETER	in.	
(16) LENGTH	ft.	
(17) DEPTH TO TOP OF SCREEN, FROM TOP OF CASING (Feet)		
YIELD TEST		
(18) DATE 10/25/00	(19) DURATION OF TEST 6 hours	
(20) LIFT METHOD <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Air Lift <input type="checkbox"/> Bail	(21) STABILIZED DISCHARGE (GPM) 7 gpm	
(22) STATIC LEVEL PRIOR TO TEST (feet/inches below top of casing) 80'	(23) MAXIMUM DRAWDOWN (Stabilized) (feet/inches below top of casing) 560'	
(24) RECOVERY (Time in hours/minutes) 3 hours 30 minutes	(25) Was the water produced during test discharged away from immediate area? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
PUMP INSTALLATION		
(26) DATE 10/25/00	(27) PUMP INSTALLED? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	(28) PUMP INSTALLER Ed Schaeffler
(29) TYPE submersible	(30) MAKE Goulds	(31) MODEL 7GS15412
(32) MAXIMUM CAPACITY (GPM) 7 gpm	(33) PUMP INSTALLATION LEVEL FROM TOP OF CASING (Feet) 580'	
(34) METHOD OF DRILLING <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____	(35) USE OF WATER (see instructions for choices) residential	
(36) DATE DRILLING WORK STARTED 10/12/00	(37) DATE DRILLING WORK COMPLETED 10/13/00	
(38) DATE 11/27/00	(39) DRILLER & COMPANY Malcolm T. Beal, Jr. P. F. Beal & Sons, Inc.	(40) DEC REGISTRATION NO. NYRD10105
* Show log of geologic materials encountered with depth below ground surface, water bearing beds and water levels in each; casings; screens; pump; additional pumping tests and other matters of interest, e.g., water quality (sulphur, salt, methane). Describe repair work.		
See further instructions titled "Instructions for New York State Well Completion Report".		ORIGINAL - DEC COPY

LOCATION OF WELL

DEC WELL #: P1556

(USE ONE OR MORE OF THE FOLLOWING METHODS)

Method 1: Enter coordinates of latitude and longitude in the area provided below. If driller has on-line capability, use DEC's on-line map coordinate assistant found on DEC's web site (www.dec.state.ny.us). This feature gives coordinates of latitude and longitude that can be entered in the area indicated. NOTE: The method of determining coordinates MUST be shown.


The use of global positioning system (GPS) equipment is highly recommended to determine the latitude and longitude of the well. If a GPS is used, include information on the manufacturer and model of the unit.

Method 2: If method 1 is not used, photocopy a section of a 1:24,000 scale United States Geologic Survey (USGS) map or a 1:24,000 New York State Department of Transportation (NYSDOT) map and locate the well on the map. *Write the map name on the photocopy and attach to log completion.*

Method 3: If USGS or NYSDOT maps are not available, photocopy a pertinent section of a detailed county road map and locate the well on the map. *Write the map name on the photocopy and attach to log completion.*


Method 4: Sketch location of well in the area provided at bottom of page. Locate the well with respect to at least two roads. Indicate north direction.

Latitude (degrees minutes seconds)	Longitude (degrees minutes seconds)
<div style="border: 1px solid black; width: 80%; margin: 0 auto; height: 20px;"></div>	
Example: 42 36 01.7 N 73 24 51.1 W	
How were coordinates determined?	
<input type="checkbox"/> DEC on-line map coordinate assistant	
<input type="checkbox"/> GPS Manufacturer _____	Model _____
<input type="checkbox"/> Map interpolation	



Yahoo! Maps

★ 345 Farm to Market Road, Brewster, NY 10509-6145



[Zoom In](#)

[1]

2

[3]

[4]

[5]

[6]

[7]

[8]

[9]

[10]

[Zoom Out](#)

[Printable Map](#)

[Email Map](#)

Drive

[To](#)

[From](#)

Map

Address: 345

City: Brewster

Unit: Un

Find

[Near](#)

[City](#)

Target is 41° 26' 10"N, 73° 36' 24"W - **BREWSTER** quad [\[Quad Info\]](#)
[Click here to download a custom topographic map with](#)

1:25,000 1:50,000 1:100,000 1:200,000


Small

Medium

Large

topozone.com

Copyright © 2000 Maps a la Carte, Inc.



0 500 1000 1500 2000
meters
0 0.5 1.0
miles

Coordinates (NAD27): UTM DD.DDDD D/M/S Show target symbol

Email this map

Bookmark this map

Print this map