

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

(1) County Putnam

(2) Township Brewster

(3) DEC Well Number

P1561

WELL COMPLETION REPORT


LOG *

(4) OWNER Russell W. & Sarah J. Nolan			
(5) ADDRESS 31 Cameron Road, Putnam Lake, Brewster, NY 10509			
(6) LOCATION OF WELL (Also see reverse) Same			
(7) DEPTH OF WELL BELOW LAND SURFACE (Feet) 165'		(8) DEPTH TO GROUNDWATER BELOW LAND SURFACE (Feet) N/A	
CASINGS			
(9) DIAMETER in.			
(10) LENGTH ft.			
(11) GROUT TYPE		(12) GROUT INTERVAL (Feet) FROM _____ TO _____	
SCREENS			
(13) MAKE & MATERIAL		(14) OPENINGS	
(15) DIAMETER in.			
(16) LENGTH ft.			
(17) DEPTH TO TOP OF SCREEN, FROM TOP OF CASING (Feet)			
WELD TEST			
(18) DATE 11/13/00		(19) DURATION OF TEST 6 hours	
(20) LIFT METHOD <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Air Lift <input type="checkbox"/> Bail		(21) STABILIZED DISCHARGE (GPM) 7 gpm	
(22) STATIC LEVEL PRIOR TO TEST (feet/inches below top of casing) 30'		(23) MAXIMUM DRAWDOWN (Stabilized) (feet/inches below top of casing) 100'	
(24) RECOVERY (Time in hours/minutes) 15 minutes		(25) Was the water produced during test discharged away from immediate area? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
PUMP INSTALLATION			
(26) DATE 11/13/00	(27) PUMP INSTALLED? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	(28) PUMP INSTALLER Chris Scrivanos	
(29) TYPE submersible	(30) MAKE Goulds	(31) MODEL 7GS05412	
(32) MAXIMUM CAPACITY (GPM) 7 gpm		(33) PUMP INSTALLATION LEVEL FROM TOP OF CASING (Feet) 120'	
(34) METHOD OF DRILLING <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable Tool <input type="checkbox"/> Other _____		(35) USE OF WATER (see instructions for choices) residential	
(36) DATE DRILLING WORK STARTED 11/10/00		(37) DATE DRILLING WORK COMPLETED 11/10/00	
(38) DATE 12/12/00	(39) DRILLER & COMPANY Perry L. Beal P. F. Beal & Sons, Inc.		(40) DEC REGISTRATION NO. NYRD10105

Ground Surface EL. _____ ft. above sea level

Top Of Casing is located +1 ft. above (+) or below (-) ground surface

TOP OF WELL



165'

BOTTOM OF HOPE

* Show log of geologic materials encountered with depth below ground surface, water bearing beds and water levels in each; casings; screens; pump; additional pumping tests and other matters of interest, e.g., water quality (sulphur, salt, methane). Describe repair work.

See further instructions titled "Instructions for New York State Well Completion Report".

ORIGINAL - DEC COPY

LOCATION OF WELL

(USE ONE OR MORE OF THE FOLLOWING METHODS)

DEC WELL #: P1561

Method 1: Enter coordinates of latitude and longitude in the area provided below. If driller has on-line capability, use DEC on-line map coordinate assistant found on DEC's web site (www.dec.state.ny.us). This feature gives coordinates of latitude and longitude that can be entered in the area indicated. **NOTE:** The method of determining coordinates **MUST** be shown. The use of global positioning system (GPS) equipment is highly recommended to determine the latitude and longitude of the well. If a GPS is used, include information on the manufacturer and model of the unit.

Method 2: If method 1 is not used, photocopy a section of a 1:24,000 scale United States Geologic Survey (USGS) map or 1:24,000 New York State Department of Transportation (NYSDOT) map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 3: If USGS or NYSDOT maps are not available, photocopy a pertinent section of a detailed county road map and locate the well on the map. **Write the map name on the photocopy and attach to log completion.**

Method 4: Sketch location of well in the area provided at bottom of page. Locate the well with respect to at least two roads. Indicate north direction.

Latitude (degrees minutes seconds)


Longitude (degrees minutes seconds)

Example: 42 36 01.7 N 73 24 51.1 W


How were coordinates determined?

- DEC on-line map coordinate assistant
- GPS Manufacturer _____ Model _____
- Map interpolation

LOCATION SKETCH (indicate north direction and road intersections)





★ 31 Cameron Road, Brewster, NY 10509-5844



Target is $41^{\circ} 27' 20''\text{N}$, $73^{\circ} 32' 21''\text{W}$ - **BREWSTER** quad [\[Quad Info\]](#)

Click here to download a custom topographic map with

1:25,000 | 1:50,000 | 1:100,000 | 1:200,000 Small Medium Large



Coordinates (NAD27): UTM DD.DDDD D/M/S Show target symbol